

KÄRCHER

makes a difference



NON-STOP CLEANING FOR TOUGH JOBS.

Electric-powered cold water pressure washer.



PROFESSIONAL | HD SUPER CLASS

HD SUPER CLASS



For tough jobs in non-stop use.

Where vast amounts of dirt accumulate every day, reliable Kärcher HD Super class models provide indispensable services. Ideal for use in the construction, agricultural and forestry sectors as well as industrial and municipal facilities.



1 Powerful and durable

- Robust, three-piston axial pumps features detergent-resistant brass cylinder head and stainless valves; pumps is protected by pressure switch and over flow valve.
- Built-in motor protection against voltage fluctuations and excessive temperatures.
- Single-phase unit features ground-fault circuit interrupter (GFCI) for operator safety
- Low-speed, 4-pole, air-cooled motor runs quieter and cooler than conventional motors thus prolonging its service life
- Ceramic-coated piston.

2 Smart features

- Rear cable/hose rack provides added convenience.
- 50-ft. high pressure hose with Easy!Lock ANTI!Twist connections.
- Integrated lance holder for easy transport.
- Parking position for short breaks.

3 Outstanding mobility

- Large wheels for uneven surfaces.
- Upright design for easy, ergonomic transport.
- Integrated tilting aid at the rear.

TECHNICAL DATA AND EQUIPMENT

TECHNICAL DATA

| Model | Part No. | GPM | PSI | Drive | HP | Electrical | Amps | Pump | Ship Weight (lbs) | Ship Dimensions (L x W x H) Inches |
|-----------------|-------------|---------|----------|--------|----|----------------|------|---------------|-------------------|------------------------------------|
| HD 3.5/30-4S Ea | 1.286-908.0 | 1.8-3.5 | 435-3000 | Direct | 9 | 220/240V / 1ph | 28 | Kärcher Axial | 178 | 47 x 21 x 23 |
| HD 4.5/32-4S Eb | 1.286-909.0 | 2.2-4.5 | 435-3200 | Direct | 10 | 230V / 3ph | 25 | Kärcher Axial | 178 | 47 x 21 x 23 |
| HD 4.5/32-4S Ec | 1.286-910.0 | 2.2-4.5 | 435-3200 | Direct | 10 | 460V / 3ph | 14 | Kärcher Axial | 160 | 47 x 21 x 23 |

ACCESSORIES

| Order No. | Description |
|---|---|
| <input checked="" type="checkbox"/> 4.118-005.0 <input checked="" type="checkbox"/> | EASY!Force trigger gun |
| <input checked="" type="checkbox"/> 4.112-000.0 <input checked="" type="checkbox"/> | 41" spray lance |
| <input checked="" type="checkbox"/> 6.110-030.0 <input checked="" type="checkbox"/> | 50' EASY!Lock hose with ANTI!Twist connection |
| <input checked="" type="checkbox"/> 2.113-022.0 <input checked="" type="checkbox"/> | Power nozzle, 045 (for machine 1.286-908.0) |
| <input checked="" type="checkbox"/> 2.113-025.0 <input checked="" type="checkbox"/> | Power nozzle, 055 (for machine 1.286-909.0) |
| <input type="checkbox"/> 4.118-008.0 <input checked="" type="checkbox"/> | Servo control |
| <input type="checkbox"/> 2.112-000.0 <input checked="" type="checkbox"/> | Inno Foam kit |
| <input type="checkbox"/> 2.112-015.0 <input checked="" type="checkbox"/> | Gutter cleaning lance |
| <input type="checkbox"/> 4.112-035.0 <input checked="" type="checkbox"/> | Flexible spray lance |
| <input type="checkbox"/> 6.110-049.0 <input checked="" type="checkbox"/> | Pipe cleaning hose 65', 1740 psi |
| <input type="checkbox"/> 6.110-050.0 <input checked="" type="checkbox"/> | Pipe cleaning hose 98', 1740 psi |
| <input type="checkbox"/> 6.110-008.0 <input checked="" type="checkbox"/> | Pipe cleaning hose 65', 3625 psi |
| <input type="checkbox"/> 2.111-023.0 <input checked="" type="checkbox"/> | FR TR 50 ME hard surface cleaner |
| <input type="checkbox"/> 2.111-012.0 <input checked="" type="checkbox"/> | FRV TR 30 ME |
| <input type="checkbox"/> 2.111-011.0 <input checked="" type="checkbox"/> | Surface cleaner FR 30 |
| <input type="checkbox"/> 2.111-010.0 <input checked="" type="checkbox"/> | FRV TR 30 hard surface cleaner |
| <input type="checkbox"/> 4.115-000.0 <input checked="" type="checkbox"/> | Wet blasting attachment |
| <input type="checkbox"/> 2.113-020.0 <input checked="" type="checkbox"/> | 25° power nozzle for applying cleaning agent |
| <input type="checkbox"/> 4.114-019.0 <input checked="" type="checkbox"/> | Dirtblaster Nozzle 035 |
| <input type="checkbox"/> 4.637-033.0 <input checked="" type="checkbox"/> | Detergent injector for high pressure |
| <input type="checkbox"/> 4.111-037.0 <input checked="" type="checkbox"/> | Coupling |

Please contact us for more information:

North America

4555 Airport Way
Denver, CO 80239
U.S.A.

Phone 800-456-6649
Fax 303-738-2818

www.karcher.com/us

Kärcher Canada

275 Pendant Drive
Mississauga, ON L5T 2W9
Canada

Tel. 905-364-5006
Fax 905-672-3155

www.karcher.ca